Phone: 1-800-228-1161
Website: www.akronbrass.com
Email: noreply@idexcorp.com

FEATURED PRODUCT



8830 Valve Body with no inlet adapter, no outlet adapter, ready for R1 handle

Product code: 88300009

Availability: Available

Applications: Fire OEMs

Overview

Self locking heavy-duty valve with a stainless steel ball designed for the harsh realities of today's fire service when water contaminants challenge a valve's sealing capabilities. This valve features the following:
- A single valve body that will accept a variety of actuators
- HydroMax TM technology: A patented ball geometry providing performance never seen before in swing-out valves

Actuator options:
- R1
- TS/TSC

Actuator/handle and adapters not included in price.

Features

- 3" waterway
- Self-Locking valve
- 316 stainless steel ball with Hydromax technology
- High quality brass body
- Improve sealing & increased gating ability
- Flow optimization reduces turbulence while in the gated position and requires lower operating forces
- No lubrication or regular maintenance required
- Simple two-seated design (no O-Rings to cut or lose during assembly or maintenance)
- Wide range of available adapters
- Designed and tested to exceed NFPA requirements
- Cast, machined and assembled at our facilities in Wooster, Ohio

Actuator options:
- R1
- TS/TSC

Adapters specified separately. See valve guide for complete list of available adapters.

Actuator/handle and adapters not included in price.

SET PRODUCT AS NEW FROM DATE

Leave A Message

2025-04-04 08:49:02

Accreditation

NFPA 1964 COMPLIANT

WORKS WITH SAM

74 × 74 5 YEAR WARRANTY

74 × 74 WORKS WITH CAPTIUM CONNECT

Technical details & documents

Specification

Style	8830
Family	Heavy-Duty
Brand	Akron Brass
Application Solutions	Fire OEMs
Material	Brass
Product or Spare Part	Finished Good
Finish	Cast Brass
Warranty	10 Year
Water Size (English)	3"
Water Size (Metric)	75 mm
Length (English)	4"
Length (Metric)	102 mm
Engine Power	0.00 HP



Leave A Message

Leave A Message